

- Bavestrello, G., Cerrano, C., Zanzi, D., & Cattaneo-Vietti, R. (1997). Damage by fishing activities to the Gorgonian coral *Paramuricea clavata* in the Ligurian Sea. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 7, 253–262. [https://doi.org/10.1002/\(SICI\)1099-0755\(199709\)7:3<253::AID-AQC243>3.0.CO;2-1](https://doi.org/10.1002/(SICI)1099-0755(199709)7:3<253::AID-AQC243>3.0.CO;2-1)
- Betti, F., Bavestrello, G., Fravega, L., Bo, M., Coppari, M., Enrichetti, F., Cappanera, V., Venturini, S., & Cattaneo-Vietti, R. (2019). On the effects of recreational SCUBA diving on fragile benthic species: The Portofino MPA (NW Mediterranean Sea) case study. *Ocean & Coastal Management*, 182(104926). <https://doi.org/10.1016/j.ocecoaman.2019.104926>
- Bevilacqua, S., Airoidi, L., Ballesteros, E., Benedetti-Cecchi, L., Boero, F., Bulleri, F., Cebrian, E., Cerrano, C., Claudet, J., Colloca, F., Coppari, M., Di Franco, A., Frascchetti, S., Garrabou, J., Guarnieri, G., Guerranti, C., Guidetti, P., Halpern, B. S., Katsanevakis, S., ... Terlizzi, A. (2021). Mediterranean rocky reefs in the Anthropocene: Present status and future concerns. In *Advances in Marine Biology* (Vol. 89, pp. 1–51). <https://doi.org/10.1016/bs.amb.2021.08.001>
- Bo, M., Bavestrello, G., Canese, S., Giusti, M., Salvati, E., Angiolillo, M., & Greco, S. (2009). Characteristics of a black coral meadow in the twilight zone of the central Mediterranean Sea. *Marine Ecology Progress Series*, 397, 53–61. <https://doi.org/10.3354/meps08185>
- Bo, M., Bertolino, M., Borghini, M., Castellano, M., Covazzi Harriague, A., Di Camillo, C. G., Gasparini, G., Misic, C., Povero, P., Pusceddu, A., Schroeder, K., & Bavestrello, G. (2011). Characteristics of the Mesophotic Megabenthic Assemblages of the Vercelli Seamount (North Tyrrhenian Sea). *PLoS ONE*, 6(2), e16357. <https://doi.org/10.1371/journal.pone.0016357>
- Brokovich, E., Einbinder, S., Shashar, N., Kiflawi, M., & Kark, S. (2008). Descending to the twilight-zone: changes in coral reef fish assemblages along a depth gradient down to 65 m. *Marine Ecology Progress Series*, 371, 253–262. <https://doi.org/10.3354/meps07591>
- Bruno, J. F., & Kennedy, C. W. (2000). Patch-size dependent habitat modification and facilitation on New England cobble beaches by *Spartina alterniflora*. *Oecologia*, 122, 98–108. <https://doi.org/10.1007/PL00008841>
- Calvo, E., Simó, R., Coma, R., Ribes, M., Pascual, J., Sabatés, A., Gili, J. M., & Pelejero, C. (2011). Effects of climate change on Mediterranean marine ecosystems: The case of the Catalan Sea. *Climate Research*, 50, 1–29. <https://doi.org/10.3354/cr01040>
- Cebrian, E., Linares, C., Marschal, C., & Garrabou, J. (2012). Exploring the effects of invasive algae on the persistence of gorgonian populations. *Biological Invasions*, 14, 2647–2656. <https://doi.org/10.1007/s10530-012-0261-6>
- Cerrano, C., Bastari, A., Calcinai, B., Di Camillo, C., Pica, D., Puce, S., Valisano, L., & Torsani, F. (2019). Temperate mesophotic ecosystems: gaps and perspectives of an emerging conservation challenge for the Mediterranean Sea. *The European Zoological Journal*, 86(1), 370–388. <https://doi.org/10.1080/24750263.2019.1677790>
- Cerrano, C., Bavestrello, G., Bianchi, C. N., Cattaneo-vietti, R., Bava, S., Morganti, C., Morri, C., Picco, P., Sara, G., Schiaparelli, S., Siccardi, A., & Sponga, F. (2000). A catastrophic mass-mortality episode of gorgonians and other organisms in the Ligurian Sea (North-western Mediterranean), summer 1999. *Ecology Letters*, 3, 284–293. <https://doi.org/10.1046/j.1461-0248.2000.00152.x>

- Cerrano, C., Danovaro, R., Gambi, C., Pusceddu, A., Riva, A., & Schiaparelli, S. (2010). Gold coral (*Savalia savaglia*) and gorgonian forests enhance benthic biodiversity and ecosystem functioning in the mesophotic zone. *Biodiversity and Conservation*, *19*, 153–167. <https://doi.org/10.1007/s10531-009-9712-5>
- Colwell, R. K., & Lees, D. C. (2000). The mid-domain effect: geometric constraints on the geography of species richness. *Trends in Ecology & Evolution*, *15*(2), 70–76. [https://doi.org/10.1016/S0169-5347\(99\)01767-X](https://doi.org/10.1016/S0169-5347(99)01767-X)
- Corriero, G., Pierri, C., Mercurio, M., Nonnis Marzano, C., Onen Tarantini, S., Gravina, M. F., Lisco, S., Moretti, M., De Giosa, F., Valenzano, E., Giangrande, A., Mastrodonato, M., Longo, C., & Cardone, F. (2019). A Mediterranean mesophotic coral reef built by non-symbiotic scleractinians. *Scientific Reports*, *9*(3601). <https://doi.org/10.1038/s41598-019-40284-4>
- Crisci, C., Bensoussan, N., Romano, J.-C., & Garrabou, J. (2011). Temperature Anomalies and Mortality Events in Marine Communities: Insights on Factors behind Differential Mortality Impacts in the NW Mediterranean. *PLoS ONE*, *6*(9), e23814. <https://doi.org/10.1371/journal.pone.0023814>
- Di Camillo, C. G., Boero, F., Gravili, C., Previati, M., Torsani, F., & Cerrano, C. (2013). Distribution, ecology and morphology of *Lytocarpia myriophyllum* (Cnidaria: Hydrozoa), a Mediterranean Sea habitat former to protect. *Biodiversity and Conservation*, *22*, 773–787. <https://doi.org/10.1007/s10531-013-0449-9>
- Easterling, D. R., Meehl, G. A., Parmesan, C., Changnon, S. A., Karl, T. R., & Mearns, L. O. (2000). Climate Extremes: Observations, Modeling, and Impacts. *Science*, *289*, 2068–2074. <https://doi.org/10.1126/science.289.5487.2068>
- Gacia, E., & Duarte, C. M. (2001). Sediment Retention by a Mediterranean *Posidonia oceanica* Meadow: The Balance between Deposition and Resuspension. *Estuarine, Coastal and Shelf Science*, *52*, 505–514. <https://doi.org/10.1006/ecss.2000.0753>
- Garrabou, J., Gómez-Gras, D., Medrano, A., Cerrano, C., Ponti, M., Schlegel, R., Bensoussan, N., Turicchia, E., Sini, M., Gerovasileiou, V., Teixido, N., Mirasole, A., Tamburello, L., Cebrian, E., Rilov, G., Ledoux, J., Souissi, J. Ben, Khamassi, F., Ghanem, R., ... Harmelin, J. (2022). Marine heatwaves drive recurrent mass mortalities in the Mediterranean Sea. *Global Change Biology*, *00*, 1–18. <https://doi.org/10.1111/gcb.16301>
- Garrabou, J., Coma, R., Bensoussan, N., Bally, M., Chevaldonné, P., Cigliano, M., Diaz, D., Harmelin, J. G., Gambi, M. C., Kersting, D. K., Ledoux, J. B., Lejeusne, C., Linares, C., Marschal, C., Pérez, T., Ribes, M., Romano, J. C., Serrano, E., Teixido, N., ... Cerrano, C. (2009). Mass mortality in Northwestern Mediterranean rocky benthic communities: effects of the 2003 heat wave. *Global Change Biology*, *15*, 1090–1103. <https://doi.org/10.1111/j.1365-2486.2008.01823.x>
- Giuliani, S., Virno Lamberti, C., Sonni, C., & Pellegrini, D. (2005). Mucilage impact on gorgonians in the Tyrrhenian sea. *Science of the Total Environment*, *353*, 340–349. <https://doi.org/10.1016/j.scitotenv.2005.09.023>
- Gori, A., Rossi, S., Berganzo, E., Pretus, J. L., Dale, M. R. T., & Gili, J.-M. (2011a). Spatial distribution patterns of the gorgonians *Eunicella singularis*, *Paramuricea clavata*, and *Leptogorgia sarmentosa* (Cape of Creus, Northwestern Mediterranean Sea). *Marine Biology*, *158*, 143–158. <https://doi.org/10.1007/s00227-010-1548-8>

- Gori, A., Rossi, S., Linares, C., Berganzo, E., Orejas, C., Dale, M. R. T., & Gili, J. M. (2011b). Size and spatial structure in deep versus shallow populations of the Mediterranean gorgonian *Eunicella singularis* (Cap de Creus, northwestern Mediterranean Sea). *Marine Biology*, 158(8), 1721–1732. <https://doi.org/10.1007/s00227-011-1686-7>
- Grinyó, J., Gori, A., Ambroso, S., Purroy, A., Calatayud, C., Dominguez-Carrió, C., Coppari, M., Lo Iacono, C., López-González, P. J., & Gili, J.-M. (2016). Diversity, distribution and population size structure of deep Mediterranean gorgonian assemblages (Menorca Channel, Western Mediterranean Sea). *Progress in Oceanography*, 145, 42–56. <https://doi.org/10.1016/j.pocean.2016.05.001>
- Grinyó, J., Gori, A., Greenacre, M., Requena, S., Canepa, A., Lo Iacono, C., Ambroso, S., Purroy, A., & Gili, J.-M. (2018). Megabenthic assemblages in the continental shelf edge and upper slope of the Menorca Channel, Western Mediterranean Sea. *Progress in Oceanography*, 162, 40–51. <https://doi.org/10.1016/j.pocean.2018.02.002>
- Huete-Stauffner, C., Vielmini, I., Palma, M., Navone, A., Panzalis, P., Vezzulli, L., Misic, C., & Cerrano, C. (2011). *Paramuricea clavata* (Anthozoa, Octocorallia) loss in the Marine Protected Area of Tavolara (Sardinia, Italy) due to a mass mortality event. *Marine Ecology*, 32(Suppl. 1), 107–116. <https://doi.org/10.1111/j.1439-0485.2011.00429.x>
- Idan, T., Shefer, S., Feldstein, T., Yahel, R., Huchon, D., & Ilan, M. (2018). Shedding light on an East-Mediterranean mesophotic sponge ground community and the regional sponge fauna. *Mediterranean Marine Science*, 19(1), 84–106. <https://doi.org/10.12681/mms.13853>
- Jackson, J. B. C., Kirby, M. X., Berger, W. H., Bjorndal, K. A., Botsford, L. W., Bourque, B. J., Bradbury, R. H., Cooke, R., Erlandson, J., Estes, J. A., Hughes, T. P., Kidwell, S., Lange, C. B., Lenihan, H. S., Pandolfi, J. M., Peterson, C. H., Steneck, R. S., Tegner, M. J., & Warner, R. R. (2001). Historical overfishing and the recent collapse of coastal ecosystems. *Science*, 293, 629–637. <https://doi.org/10.1126/science.1059199>
- Jones, C. G., Lawron, J. H., & Shachak, M. (1997). Positive and negative effects of organisms as physical ecosystem engineers. *Ecology*, 78(7), 1946–1957. [https://doi.org/10.1890/0012-9658\(1997\)078\[1946:PANEEO\]2.0.CO;2](https://doi.org/10.1890/0012-9658(1997)078[1946:PANEEO]2.0.CO;2)
- Jones, C. G., Lawton, J. H., & Shachak, M. (1994). Organisms as Ecosystem Engineers. In *Ecosystem Management* (pp. 130–147). Springer. https://doi.org/10.1007/978-1-4612-4018-1_14
- Kahng, S. E., Garcia-Sais, J. R., Spalding, H. L., Brokovich, E., Wagner, D., Weil, E., Hinderstein, L., & Toonen, R. J. (2010). Community ecology of mesophotic coral reef ecosystems. *Coral Reefs*, 29, 255–275. <https://doi.org/10.1007/s00338-010-0593-6>
- Kovalenko, K. E., Thomaz, S. M., & Warfe, D. M. (2012). Habitat complexity: approaches and future directions. *Hydrobiologia*, 685, 1–17. <https://doi.org/10.1007/s10750-011-0974-z>
- Larson, D. W. (2001). The paradox of great longevity in a short-lived tree species. *Experimental Gerontology*, 36, 651–673. [https://doi.org/10.1016/S0531-5565\(00\)00233-3](https://doi.org/10.1016/S0531-5565(00)00233-3)
- Lesser, M. P., Slattery, M., & Leichter, J. J. (2009). Ecology of mesophotic coral reefs. *Journal of Experimental Marine Biology and Ecology*, 375, 1–8. <https://doi.org/10.1016/j.jembe.2009.05.009>

- Lima, F. P., & Wetthey, D. S. (2012). Three decades of high-resolution coastal sea surface temperatures reveal more than warming. *Nature Communications*, 3(704). <https://doi.org/10.1038/ncomms1713>
- Linares, C., Coma, R., Diaz, D., Zabala, M., Hereu, B., & Dantart, L. (2005). Immediate and delayed effects of a mass mortality event on gorgonian population dynamics and benthic community structure in the NW Mediterranean Sea. *Marine Ecology Progress Series*, 305, 127–137. <https://doi.org/10.3354/meps305127>
- Linares, C., & Doak, D. F. (2010). Forecasting the combined effects of disparate disturbances on the persistence of long-lived gorgonians: A case study of *Paramuricea clavata*. *Marine Ecology Progress Series*, 402, 59–68. <https://doi.org/10.3354/meps08437>
- Martin, Y., Bonnefont, J. L., & Chancerelle, L. (2002). Gorgonians mass mortality during the 1999 late summer in French Mediterranean coastal waters: the bacterial hypothesis. *Water Research*, 36, 779–782. [https://doi.org/10.1016/S0043-1354\(01\)00251-2](https://doi.org/10.1016/S0043-1354(01)00251-2)
- Mateos-Molina, D., Palma, M., Ruiz-Valentín, I., Panagos, P., García-Charton, J. A., & Ponti, M. (2015). Assessing consequences of land cover changes on sediment deliveries to coastal waters at regional level over the last two decades in the northwestern Mediterranean Sea. *Ocean and Coastal Management*, 116, 435–442. <https://doi.org/10.1016/j.ocecoaman.2015.09.003>
- McClain, C. R., & Barry, J. P. (2010). Habitat heterogeneity, disturbance, and productivity work in concert to regulate biodiversity in deep submarine canyons. *Ecology*, 91(4), 964–976. <https://doi.org/10.1890/09-0087.1>
- Meehl, G. A., & Tebaldi, C. (2004). More Intense, More Frequent, and Longer Lasting Heat Waves in the 21st Century. *Science*, 305, 994–997. <https://doi.org/10.1126/science.1098704>
- Montero-Serra, I., Linares, C., Doak, D. F., Ledoux, J. B., & Garrabou, J. (2018). Strong linkages between depth, longevity and demographic stability across marine sessile species. *Proceedings of the Royal Society B: Biological Sciences*, 285(20172688). <https://doi.org/10.1098/rspb.2017.2688>
- Pauly, D. (1995). Anecdotes and the shifting baseline syndrome of fisheries. *Trends in Ecology & Evolution*, 10(10), 430. [https://doi.org/10.1016/S0169-5347\(00\)89171-5](https://doi.org/10.1016/S0169-5347(00)89171-5)
- Ponti, M., Turicchia, E., Ferro, F., Cerrano, C., & Abbiati, M. (2018). The understory of gorgonian forests in mesophotic temperate reefs. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 28(5), 1153–1166. <https://doi.org/10.1002/aqc.2928>
- Rocha, L. A., Pinheiro, H. T., Shepherd, B., Papastamatiou, Y. P., Luiz, O. J., Pyle, R. L., & Bongaerts, P. (2018). Mesophotic coral ecosystems are threatened and ecologically distinct from shallow water reefs. *Science*, 361(6399), 281–284. <https://doi.org/10.1126/science.aaq1614>
- Romero, G. Q., Gonçalves-Souza, T., Vieira, C., & Koricheva, J. (2015). Ecosystem engineering effects on species diversity across ecosystems: a meta-analysis. *Biological Reviews*, 90, 877–890. <https://doi.org/10.1111/brv.12138>
- Rooney, J., Donham, E., Montgomery, A., Spalding, H., Parrish, F., Boland, R., Fenner, D., Gove, J., & Vetter, O. (2010). Mesophotic coral ecosystems in the Hawaiian archipelago. *Coral Reefs*, 29(2), 361–367. <https://doi.org/10.1007/s00338-010-0596-3>

- Santín, A., Grinyó, J., Ambroso, S., Uriz, M. J., Gori, A., Dominguez-Carrió, C., & Gili, J.-M. (2018). Sponge assemblages on the deep Mediterranean continental shelf and slope (Menorca Channel, Western Mediterranean Sea). *Deep Sea Research Part I: Oceanographic Research Papers*, 131, 75–86. <https://doi.org/10.1016/j.dsr.2017.11.003>
- Scinto, A., Bertolino, M., Calcinai, B., Huete-Stauffer, C., Previati, M., Romagnoli, T. & Cerrano, C., 2009, January. Role of a *Paramuricea clavata* forest in modifying the coralligenous assemblages. In Proceedings of the 1st Mediterranean symposium on the conservation of the coralligenous and others calcareous bio-concretions (Tabarka, 15-16 January 2009). RAC/SPA publ., Tunis (pp. 136-140).
- Slattery, M., Lesser, M. P., Brazeau, D., Stokes, M. D., & Leichter, J. J. (2011). Connectivity and stability of mesophotic coral reefs. *Journal of Experimental Marine Biology and Ecology*, 408, 32–41. <https://doi.org/10.1016/j.jembe.2011.07.024>
- Zabala, M., & Ballesteros, E. (1989). Surface-dependent strategies and energy flux in benthic marine communities or, why corals do not exist in the Mediterranean. *Scientia Marina*, 53(1), 3–17.